Table 1. Selected Oral Health Indicators for Persons 25 Years and Over and Dentate Persons 18-74 Years of Age by Gender: United States, 1988-1994

Oral Health Indicator All Persons 25- 74 Edentulism	Women Percent of Persons (SE)		Men Percent of Persons (SE)		Pairwise Comparison P-value
	Dentate Persons 18-74 Years				
Untreated Coronal Decay Untreated Root Decay	25.0 9.3	(1.25) (0.53)	31.1 13.9	(1.15) (0.72)	.0000
Gingivitis Gingival Recession	49.3 41.9	(2.29) (0.92)	56.8 47.8	(2.20) (1.03)	.0000 .0001
Advanced Loss of Attachment 1+ RTCs Involving Pulpal	11.6	(0.60)	18.8	(0.82)	.0000
Pathology or a Retained Root	6.2	(0.51)	8.8	(0.64)	.0005
Recent Dental Visit	58.6	(1.16)	49.8	(1.44)	.0000

Source: NHANES III.

Oral Health Indicator	et Oral Health Needs for Black and White Black Percent of Persons (SE)		White Percent of Persons (SE)		Pairwise Comparison P-value
Edentulism	9.8	(0.58)	12.0	(0.70)	.0093
Dentate Pesons 18 Years and Over					
Untreated Coronal Decay					
Untreated Root Decay	47.6	(1.38)	25.4	(1.14)	.0000
Any Untreated Decay	19.9	(1.31)	11.0	(0.49)	.0000
	48.4	(1.40)	26.7	(1.21)	.0000
Gingivitis	58.4	(2.11)	51.9	(2.27)	.0038
Gingival Recession	41.0	(0.92)	46.8	(0.82)	.0000
Loss of Attachment 4+mm	29.2	(1.11)	24.3	(0.92)	.0011
Advanced Loss of Attachment	20.9	(0.94)	15.5	(0.70)	.0000
1+ RTCs Involving Pulpal					
Pathology/Retained Root a	16.6	6.0	0.90	0.47	.0000
Recent Dental Visit	38.9	(1.21)	57.1	(1.19)	.0000

^a Data on this RTC indicator are for dentate persons 18-74 years. **Source:** NHANES III.

Table 3. Selected Oral Health Indicators for Persons 35 Years and Over and Dentate Persons 18 Years and Over by Race-Ethnicity: United States, 1988-1994

Oral Health Indicator	Mexican-American Percent of Persons (SE)		White Non-Hispanic Percent of Persons (SE)		Pairwise Comparison P-value
Persons 35 Years and Over					
					·
Edentulism	2.4	(0.19)	10.9	(0.68)	.0000
Dentate Persons 18 Years and Over					
Untreated Coronal Decay					
Untreated Root Decay	40.3	(0.95)	23.8	(1.18)	.0000
Any Untreated Decay	14.4	(0.76)	10.6	(0.53)	.0002
	40.9	(0.91)	25.1	(1.27)	.0000
Gingivitis	66.9	(2.13)	50.4	(2.40)	.0000
Gingival Recession	34.0	(1.13)	47.7	(0.96)	.0000
Loss of Attachment 4+mm	20.7	(0.95)	24.4	(0.99)	.0070
Advanced Loss of Attachment	13.4	(0.73)	15.5	(0.78)	.0383
1+ RTCs Involving Pulpal Pathology or a Retained					
Root	12.8	(0.82)	5.3	(0.51)	.0000
Recent Dental Visit	34.4	(1.3)	59.0	(1.3)	.0001

Data on this RTC indicator are for dentate persons 18-74 years. **Source:** NHANES III.

Table 4. Selected Oral Health Indicators for Persons 25 Years and Over and Dentate Persons 18 Years and Over by Socioeconomic Status: United States, 1988-1994

		(Dentate) Persons 25 (18) Years of Age and Over						
Oral Disease		Socioeconomic Status						
			Lower	Upper				
Or Condition	All	Lower	Middle	Middle	Higher			
		Percent of Persons (S.E. of Percent)						
All Dansons 25 Veens								
All Persons 25+ Years								
Edentulous	11.2 (0.6)	24.9 (1.4)	14.5 (0.9)	7.3 (0.8)	3.5 (0.4)			
	, ,	, ,						
Dentate Persons 18+ Years								
Untreated Coronal Decay	27.9 (1.1)	49.9 (1.3)	35.7 (1.8)	23.0 (1.3)	13.1 (1.0)			
Untreated Root Decay	11.0 (0.5)	24.0 (1.3)	14.5 (1.0)	9.7 (0.9)	4.7 (0.5)			
Any Gingivitis	52.9 (2.1)	63.4 (2.0)	57.1 (3.0)	50.3 (2.1)	45.7 (2.6)			
LOA 4+mm	` '	` ′		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			
LOA 4+IIIIII	24.9 (0.8)	33.3 (1.2)	26.6 (1.3)	22.7 (1.2)	20.6 (1.3)			
1+ RTCs Involving Pulpal								
Pathology or a Retained								
Root*	7.4 (0.5)	17.7 (1.2)	8.7 (0.7)	5.1 (0.8)	2.4 (0.5)			
A Dental Visit in the								
Past 12 Months	54.7 (1.0)	34.6 (1.7)	46.0 (1.5)	58.5 (1.5)	69.8 (1.9)			

Source: NHANES III.

^{*}Data shown are for dentate persons 18-74 years of age.